







The lightest and strongest wheelbarrows in the industry!

TUFX wheelbarrows can be assembled in 8 minutes.

Commonly, retailers assemble the wheelbarrow for the user as it is a time consuming and sometimes tedious affair.


Typical wheelbarrows can take 2 people upward of 45 minutes to assemble.

Assembly of a TUFX wheelbarrow is a breeze, but if you have any issues, just visit our website for how-to-videos and other downloadable information.

TUFX wheelbarrows are ergonomically designed.

We offer a full range of easy- to-use products for homeowners, landscapers and contractors including:

- Wheelbarrows
- Hand Trucks
- Cement mixers
- Garden accessories and more...





Lawn and Garden Wheelbarrows

Home Construction Wheelbarrows



Pro-contractor Wheelbarrows



RP5

- 5 ft³ / 141.5 L
- 200 lbs / 91 kg
- Poly tray
- · Air or PU wheel with steel hub



with steel hub

RS7

- 7 ft³ / 198 L
- 400 lbs / 181.5 kg
- Steel tray
- Air or PU wheel with steel hub



■ RP102

- 10 ft³ / 283 L
- 500 lbs / 227 kg
- Poly tray
- Air or PU wheels with steel hub



- 8 ft³ / 226.5 L
- 450 lbs / 204 kg
- Poly tray
- Air or PU wheels with steel hub



SM100 >

- with poly hub



TK100

• 6 ft³ / 170 L

Poly tray

• 400 lbs / 181.5 kg

Air or PU wheel

with poly hub



- 5 ft³ / 141.5 L
- 250 lbs / 113.5 kg
- Poly tray
- Air or PU wheel with poly hub



▼ TS120F-X3

- 6 ft3 / 170 L
- 550 lbs / 250 kg
- Steel tray
- Air or PU wheel with poly hub



- 7 ft³/ 198 L
- 550 lbs / 250 kg
- Steel tray
- Air or PU wheel with poly hub



PX120F-X7

- 6 ft3 / 170 L
- 550 lbs / 250 kg
- Poly tray
- Air or PU wheel with poly hub

TP566F

- 7 ft3/198 L
- 600 lbs / 272 kg
- Steel tray
- Air or PU wheel with poly hub



SX120-X0

- 6 ft³ / 170 L
- 500 lbs / 227 kg
- Steel tray
- Air or PU wheel with poly hub



- 10 ft3/283 L
- 750 lbs / 340 kg
- Poly tray
- Air or PU wheel with poly hub





- 6 ft³ / 170 L

TP805

Poly tray

• 8 ft³ / 226.5 L

• 500 lbs / 227 kg

• 2 air wheel unit with poly hub

- 400 lbs / 181.5 kg
- Steel trav
- Air or PU wheel



PE100

- 6 ft³ / 170 L
- 450 lbs / 204 kg
- Poly tray
- Air or PU wheel with poly hub

Uniquely designed wheelbarrows that work as hard as you do

Quality starts with the materials – to maintain consistent performance, TUFX use best in class ingredients to get it right... every time.



Accessories



WA018

- Air wheel 16"x 4"
- Hub 8"x 4" steel (20 mm x 127 mm shaft)
- Tire 4.00 8. 2-ply all terrain



- Air wheel 16"x 5"
- Hub 8"x 4" poly (20 mm x 127 mm shaft)
- Tire 5.00 8. 4-ply small knobby



TI020

- 4.80 8. 2-ply
- Fits all 8" wheels



WA020

- Air wheel 16"x 4"
- Hub 8"x 4" poly (20 mm x 127 mm shaft)
- Tire 4.80 8. 4-ply large knobby



HG051

- Handle grips 30 mm ID
- Fits all TUFX and FORT wheelbarrows



- PU wheel (flat free) 16"x 4"
- Hub 8"x 4" steel (20 mm x 127 mm shaft)
- Tire 4.00 8. PU smooth



- PU wheel (flat free) 16"x 4"
- Hub 8"x 4" poly (20 mm x 127 mm shaft)
- Tire 4.80 8. PU large knobby



WF091

• Alternative standard wheelbarrow treads available

- PU wheel (flat free) 16"x 5"
- Hub 8"x 4" poly (20 mm x 127 mm shaft)
- Tire 5.00 8. PU small knobby



TU010

- High quality inner tube
- Fits all 8" hubs



2WKIT

Axle kit to convert your wheelbarow to a two wheel unit (extra wheel required)

519-746-1920 Fax: 519-746-4900